



KILL THE PAIN



⚠ Avoid : opiod + BZD

Adapted from IASP 2020 & Pharmacology of pain (2010), according to French MA & recommendations




EQUIANALGESIC DOSES BETWEEN OPIOIDS (FRENCH)

Morphine eq mg	Buprenorphine eq mg	Fentanyl eq µg	Sufentanil eq µg	Sufentanil eq µg	Sufentanil eq µg
10	0.5	10	1	1	1
20	1	20	2	2	2
30	1.5	30	3	3	3
40	2	40	4	4	4
50	2.5	50	5	5	5
60	3	60	6	6	6
70	3.5	70	7	7	7
80	4	80	8	8	8
90	4.5	90	9	9	9
100	5	100	10	10	10

TODDLER / CHILD (0-7 Y-O) "EVENDOL"

Age	Weight	Dose
0-1	<10	10-20 mg
1-2	10-15	20-30 mg
2-3	15-20	30-40 mg
3-4	20-25	40-50 mg
4-5	25-30	50-60 mg
5-6	30-35	60-70 mg
6-7	35-40	70-80 mg



DEMENTIA "ALGOPLUS"

Age	Weight	Dose
65-74	<50	10-20 mg
75-84	50-75	20-30 mg
85-94	75-100	30-40 mg
>94	>100	40-50 mg

- DON'T FORGET...**
- Co-antalgics (anxiolysis, steroids...)
 - Non-drug treatment :
 - therapeutic communication
 - hypnosis
 - immobilization